

Correction to “Application of the GPS network to estimate the effect of the terrestrial ionosphere on the radio occultation measurements of planetary ionospheres” by K. Noguchi et al.

Received 29 March 2002; published 5 December 2002.

INDEX TERMS: 2435 Ionosphere: Ionospheric disturbances; 2443 Ionosphere: Midlatitude ionosphere; 2459 Ionosphere: Planetary ionospheres (5435, 5729, 6026, 6027, 6028); 6979 Radio Science: Space and satellite communication

Citation: Noguchi, K., T. Imamura, K.-I. Oyama, and A. Saito, Correction to “Application of the GPS network to estimate the effect of the terrestrial ionosphere on the radio occultation measurements of planetary ionospheres” by K. Noguchi et al., *Radio Sci.*, 37(6), 1105, doi:10.1029/2002RS002799, 2002.

In the paper “Application of the GPS network to estimate the effect of the terrestrial ionosphere on the radio occultation measurements of planetary ionospheres” by K. Noguchi, T. Imamura, K.-I. Oyama, and A. Saito (*Radio Science*, 36(6), 1607–1613, 2001), an incorrect version of Figure 2 was published. The correct Figure 2 and its caption appear below.




Figure 2. Probability of detection of the Martian nightside ionosphere versus local time and month. The primary noise source is assumed to be the TEC fluctuation in the terrestrial ionosphere.